

P A R T S L I S T

HYDRAULIC REVERSIBLE
COMPACTOR

MVH-R60/R60A

405-06301

MIKASA SANGYO CO.,LTD.

PARTS REMARK INDEX

How to read the marks and remarks used in this parts book.

Section 1 : Explanation of Code Use In “MRK” Column

OO : Interchangeable between the new part and the old one.

XX : Not Interchangeable between new and old.

OX : New part is usable for the old machine but the old part is not usable for the new machine.

XO : The old part is usable for the new machine but the new part is not usable for the old machine.

Note : In case of the lack of interchangeability between the new part and old part,a new part may be used by replacing all other parts found in the assembly. In this case, refer to section 2 for instruction on identifying other parts involved in a new assembly.

AD : Newly established(added)

DC : Suspended(discontinued)

NC : Part number changed

QC : Quantity used has been changed

NS : Not supplied individually but supplied in an assembly or a group.

AS : Special part designed to allow interchangeability between new and old part.

CR : Correction

Section 2 : Items Found In “Remark” Column

Serial Numbers — Where indicated, this indicates a serial number range (inclusive) where a particular part is used.

Model Number — Where indicated, this shows that the corresponding part is utilized only with this specific model number or model number variant.

or * : All parts with the same number following # or * belong to the same assembly. this part cannot be interchanged individually with any other assemblies to replace an old part (indicated by #), with a new part(indicated by *), then all other parts of that assembly must be replaced with new ones.

Note : If more than one of the same reference number is listed, the last one listed indicates newest(or latest)part available.

Section 3: Example

| REF NO. | PART NO. | PART NAME | Q'TY | MRK | REMARKS |
|---------|------------|------------------------|------|-------|----------------|
| 457(1) | 5122-09230 | Hinge Metal, Upper/24g | 1 | | -1070 #3 (5) |
| 457(2) | 5072-09420 | Hinge Metal, Upper M16 | 1 | OX(3) | U1071-(6)*3(7) |

(1) Old part

(2) New part

(3) New part usable with old machine, but old part not usable with new machine (reference section 1).

(4) Old part number is used through this machine serial number.

(5) Old part, used in an assembly with other parts marked with #3. To use this part on a new machine, all other parts in this assembly must be replaced with old ones.

(6) New part put into use starting with this serial number and is still current.

(7) New part used in an assembly with other parts marked *3, to use this part as a replacement for an old part, all other *3 marked parts must be changed at the same time.

Section 4: Items Found In “MK2” Column

(only for suspended products)

! OO (“OO” is shown in figure) : The part shown in lower line is supplied.

! SD : Not available due to termination of production.

! NS : Not supplied individually, but supplied in an assembly or a group.


! PD : Supplied as unit product.

SS : Not available after stock run out.

(The contents of this parts catalog are subject to change without notice.)

MVH-R60/R60A/R60L
VIBRATING PLATE


4 L J



*MVH-R60/R60A
VIBRATING PLATE*

2010/12/27


** 4LJ **



BODY

** 4LK **

| REF NO. | PART NO. | PART NAME | Q' TY | MRK | MK2 | REMARKS |
|---------|---------------|------------------------------|-------|-----|-------|--------------------------|
| 1 | 4631-17120 | BASE /MVH-R60 | 1 | DC | !4631 | #1 |
| 1 | 4631-17121 | BASE (M12)/MVH-R60 | 1 | XX | !4631 | *1, #5 |
| 1 | 4631-17122 | BASE (W. HOSE GUIDE) MVH-R60 | 1 | OX | !4631 | *5 EX13 |
| 1 | 4631-17123 | BASE/MVH-R60(N3555-) | 1 | OO | SX | EX13 N3555- GX120/JPN |
| 2 | 9122-12006 | ENGINE AY GX120K1SM11NH1 | 1 | | | |
| 2 | 9122-12004 | ENGINE AY GX120K1SM12NH1 | 1 | | !9122 | GX120/MQ |
| 2 | 9122-12005 | ENGINE AY GX120K1SM14NH1 | 1 | | !9122 | GX EXP/IMER |
| 2 | 9122-12009 | ENGINE AY/GX120U1SM12 | 1 | | | GX EXP/IMER |
| 2 | 9112-21303 | ENGINE AY EX13 JPN/BLACK | 1 | AD | | EX13/JPN(BL) |
| 2 | 9112-21304 | ENGINE AY EX13 EXP/BL/MM | 1 | AD | | EX13/EXP(BL) |
| 3 | 0012-20840 | BOLT 8X40 T | 4 | | | |
| 4 | 0302-08200 | SW M8 | 4 | | | |
| 5 | 0311-08160 | PW M8 | 4 | | | |
| 6 | 4633-42160 | BELT COVER PLATE/MVH-R60 | 1 | | | |
| 7 | 0012-20820 | BOLT 8X20 T | 4 | | | |
| 8 | 0302-08200 | SW M8 | 4 | | | |
| 11 | 4634-55900 | SPACER 18X25.4X13 | 1 | | | |
| 12 | 4604-46780 | CLUTCH AY A1 /65W | 1 | | | |
| 12 -1 | 9439-20080 | CLUTCH, SHAFT, A, Y/MVR-65W | 1 | | | |
| 12 -2 | 9410-10400 | CRUTCH PULLY A1124-S18D | 1 | | | |
| 12 -6 | 0802-00300 | STOP RING S-30 | 1 | | | |
| 12 -7 | 0806-00550 | STOP RING AR-55 | 1 | | | |
| 12 -8 | 0460-06006 | BEARING 6006DDU | 1 | | | |
| 13 | 032-00501-50 | KEY | 1 | | | |
| 14 | 4604-46640 | WASHER, CLUTCH /MVR-65W | 1 | | | |
| 15 | 0015-20825 | SOCKET HEAD BOLT 8X25 T | 1 | | | |
| 16 | 0701-00322 | V-BELT RPF-3320 | 1 | | | |
| 17 | 4632-16120 | DUST COVER /MVH-R60 | 1 | | SX | |
| 18 | 0920-06010 | FLAT HEAD SCREW 6X10 | 4 | | | |
| 19 | 4633-42030 | SPONGE, DUST COVER/MVH-R60 | 1 | | | |
| 20 | 4631-17140 | BELT COVER /MVH-R60 | 1 | | | |
| 21 | 0015-20854 | SOCKET HEAD BOLT 8X70 T | 4 | | SX | |
| 23 | 4631-17130 | GUARD FRAME, GX120/MVH-R60 | 1 | DC | !4631 | |
| 23 | 4631-17131 | GUARD FRAME, GX120/MVH-R60 | 1 | OO | !4631 | R60 |
| 23 | 4631-17500 | GUARD FRAME / SPRINKLIG | 1 | AD | SX | R60A |
| 24 | 0012-21030 | BOLT 10X30 T | 4 | DC | | #1 |
| 24 | 0012-21230 | BOLT 12X30 T | 4 | XX | | *1 |
| 25 | 0302-10250 | SW M10 | 4 | DC | | #1 |
| 25 | 0302-12300 | SW M12 | 4 | XX | | *1 |
| 26 | 4633-42010 | STAY(L), HANDLE/MVH-R60 | 1 | | SX | |
| 27 | 4633-42020 | STAY(R), HANDLE/MVH-R60 | 1 | | !463 | #4 -L2376 |
| 27 | 4633-42021 | STAY(R), HANDLE/MVH-R60 | 1 | XX | | *4 L2377- |
| 28 | 0012-21030 | BOLT 10X30 T | 4 | | | |
| 29 | 0302-10250 | SW M10 | 4 | | | |
| 30 | 4589-10020 | STOPPER & GRIP SET | 1 | | SX/SS | #4 -L2376 |
| 30 | 4589-10030 | STOPPER & GRIP SET | 1 | | | |
| 31 | 4584-50880 | SPRING 1.2-10-29 /MVH-120 | 1 | | | *4 L2377- |
| 33 | 0254-02516 | SPRING PIN 2.5X16 | 1 | | | |
| 35 | 4584-50830 | RUBBER COVER /MVH-120 | 1 | | | |
| 36 | 4584-50810 | PLATE, RUBBER COVER/MVH120 | 1 | | SX | |
| 37 | 0012-20825 | BOLT 8X25 T | 2 | | | |
| 38 | 0311-08160 | PW M8 | 2 | | | |
| 39 | 0227-10809 | NYLON NUT M8 | 2 | | | |
| 41 | 15550-ZK8-P90 | DRAIN JOINT | 2 | | | E/G PARTS |
| 41 | 255-63901-11 | UNION | 2 | | | EX13 |
| 42 | 15552-ZB9-000 | DRAIN HOSE | 1 | | | E/G PARTS |
| 42 | 255-63801-03 | DRAIN HOSE | 1 | | | EX13 |
| 43 | 9540-10070 | HOSE BAND 11.5D | 2 | | | |
| 43 | 009-17200-00 | HOSE CLAMP | 2 | | | EX13 |
| 44 | 90601-ZE1-000 | WASHER, DRAIN PLUG | 3 | | | E/G PARTS |



MVH-R60/R60A


2010/12/27

BODY

** 4LK **

MVH-R60/R60A/R60L
VIBRATOR


4 L L



VIBRATOR

** 4LL **

| REF NO. | PART NO. | PART NAME | Q' TY | MRK | MK2 | REMARKS |
|---------|------------|-----------------------------|-------|-----|-----|-------------|
| A | 4639-10030 | VIBRATOR, AY/MVH-R60 | 1 | | | |
| 1 | 4631-17150 | VIBRATING CASE /MVH-R60 | 1 | SX | | |
| 2 | 0404-06206 | BEARING 6206C4 | 4 | | | |
| 3 | 4633-42040 | ROTARY SHAFT, DRIVE/R60 | 1 | | | |
| 4 | 4633-42050 | ROTARY SHAFT, DRIVEN/R60 | 1 | | | |
| 5 | 0802-00350 | STOP RING S-35 | 4 | | | |
| 6 | 9514-05460 | KEY 10X8X19 RR | 1 | | | |
| 7 | 4633-42060 | GEAR (DRIVE) /MVH-R60 | 1 | | | |
| 8 | 4633-42070 | GEAR (DRIVEN) /MVH-R60 | 1 | | | |
| 9 | 0403-06807 | BEARING 6807C3 | 2 | | | |
| 11 | 4633-42080 | PISTON ROD /MVH-R60 | 1 | | | |
| 12 | 0255-08045 | PIN 8X45 | 1 | | | |
| 13 | 0425-06000 | BEARING 6000ZZSG | 2 | | | |
| 14 | 0802-00100 | STOP RING S-10 | 1 | | | |
| 15 | 4554-35051 | PISTON, 22.4D /MVH-200 | 1 | | | |
| 16 | 4550-10070 | PACKING USH-22.4X30X5 | 1 | | | |
| 17 | 0801-00260 | STOP RING R-26 | 1 | | | |
| 19 | 4634-55910 | ECCENT. ROTATOR, DRIVE/R60 | 2 | | | |
| 20 | 4634-55920 | ECCENT. ROTATOR, DRIVEN/R60 | 2 | | | |
| 21 | 0091-20304 | SOCKET HEAD BOLT 10X25 T | 4 | | | |
| 22 | 0602-02040 | OIL SEAL SC-28458 | 1 | | | |
| 23 | 4634-55930 | BEARING COVER /MVH-R60 | 1 | | | |
| 24 | 0012-20820 | BOLT 8X20 T | 4 | | | |
| 25 | 0302-08200 | SW M8 | 4 | | | |
| 26 | 0311-08160 | PW M8 | 4 | | | |
| 27 | 9534-05580 | SEAL CAP SC-458 /MVR-65W | 1 | | | |
| 29 | 4633-42090 | CYLINDER (PT1/4) R60OLD | 1 | | | |
| 29 | 4633-42091 | CYLINDER (PF 1/4) /MVH-R60 | 1 | XX | | |
| 29 | 4633-49940 | CYLINDER SLIPPAGE TYPE | 1 | XX | | |
| 30 | 0012-20820 | BOLT 8X20 T | 4 | | | |
| 31 | 0302-08200 | SW M8 | 4 | | | |
| 32 | 0311-08160 | PW M8 | 4 | | | |
| 33 | 0012-20812 | BOLT 8X12 T | 1 | SX | | |
| 34 | 9534-04600 | COPPER PACKING 8X16X2 | 1 | SX | | |
| 35 | 9540-01160 | ELBOW 90° PT1/4-PF1/4 | 1 | | | #6 |
| 35 | 9540-10140 | ELBOW 90° UES90G02G02 | 1 | XX | | *6 EX13 |
| 35 | 9540-10020 | CONNECTOR PT, PF1/4 | 1 | XX | | *6-1 U5307- |
| 37 | 4633-42100 | PULLEY 80D-A1 /MVH-R60 | 1 | | | |
| 38 | 9514-05240 | KEY 7X7X19 R | 1 | | | |
| 39 | 9524-06920 | WASHER 9X(24-35)X10.5/R60 | 1 | | | |
| 40 | 0015-20815 | SOCKET HEAD BOLT 8X15 T | 1 | | | |
| 43 | 4632-16110 | BELT COVER (LOWER) /MVH-R60 | 1 | | | |
| 44 | 0015-20640 | SOCKET HEAD BOLT 6X40 T | 5 | | | |
| 46 | 0015-21030 | SOCKET HEAD BOLT 10X30 T | 2 | | | |
| 47 | 0015-21060 | SOCKET HEAD BOLT 10X100 T | 6 | | | |
| 51 | 4634-56200 | SPRING 1.2X15.6X130 | 1 | | | |
| 52 | 0801-00190 | STOP RING R-19 | 1 | | | |
| 53 | 0311-08160 | PW M8 | 1 | | | |
| 60 | 9540-01040 | CAP PF1/4 | 1 | | | |
| | | | | | | |



*There is no compatibility

NEW TYPE
U5315-
(9540-10020)




*6-1

OLD TYPE
(9540-10140)



*6

OLD TYPE
(9540-01160)




#6



CONTROL

** 4LM **

| REF NO. | PART NO. | PART NAME | Q' TY | MRK | MK2 | REMARKS |
|---------|------------|-----------------------------|-------|-----|-------|-------------|
| 1 | 4633-42110 | HANDLE /MVH-R60 | 1 | SX | | JP |
| 1 | 4633-42840 | HANDLE /MVH-R60 /MQ, EXP | 1 | | | MQ |
| 1 | 4633-42840 | HANDLE /MVH-R60 /MQ, EXP | 1 | | | EXP, S4816- |
| 2 | 4633-42120 | BRACKET, HANDLE /MVH-R60 | 1 | | | JP, -S4900 |
| 2 | 4633-42860 | BRACKET, HANDLE/R60/MQ, EXP | 1 | | !R000 | MQ, -S4900 |
| 2 | 4633-42860 | BRACKET, HANDLE/R60/MQ, EXP | 1 | | !R000 | EXP, -S4900 |
| 2 | 4633-48770 | BRACKET HANDLE/R60A/JP | 1 | | | JP, S4901- |
| 2 | 4633-48780 | BRACKET HANDLE/R60A/EXP | 1 | | | MQ, S4901- |
| 2 | 4633-48780 | BRACKET HANDLE/R60A/EXP | 1 | | | EXP, S4901- |
| 3 | 0091-20408 | SUNK HEAD BOLT 8X20 T | 5 | | | -S4900 |
| 3 | 0091-20408 | SUNK HEAD BOLT 8X20 T | 1 | | | S4901- |
| 4 | 0302-08200 | SW M8 | 5 | DC | | #2 |
| 5 | 0311-08160 | PW M8 | 5 | DC | | #2 |
| 6 | 0203-08060 | NUT M8 | 5 | DC | | #2 |
| 6 | 0226-10808 | FLANGE NUT M8 H | 5 | OX | | *2, -S4900 |
| 6 | 0226-10808 | FLANGE NUT M8 H | 1 | | | S4901- |
| 8 | 0012-21464 | BOLT 14X120 T | 1 | | SX | |
| 9 | 0311-14260 | PW M14 | 2 | | | |
| 10 | 4584-50660 | WASHER 16.4-35-0.6/MVH120 | 2 | | | |
| 11 | 0321-14250 | CONICAL SPRING WASHER M14 | 2 | | | |
| 12 | 0203-14110 | NUT M14 | 2 | | | |
| 13 | 9390-10220 | SHOCK ABSORBER, STOPPER | 1 | | | |
| 14 | 0229-10220 | WING NUT M12 | 1 | | | |
| 16 | 4633-42190 | HAND PUMP AY /MVH-R60 | 1 | | | |
| 17 | 4633-42130 | TRAVEL LEVER /MVH-R60 | 1 | | | |
| 18 | 0015-20820 | SOCKET HEAD BOLT 8X20 T | 2 | | | |
| 19 | 4584-51420 | COLLAR /MVH-120 | 1 | | SX | |
| 20 | 0339-10030 | WAVE WASHER 15.5X20X0.3 | 4 | | | |
| 21 | 0012-20854 | BOLT 8X70 T | 2 | | | |
| 22 | 0221-30806 | CAP NUT M8 | 2 | | | |
| 23 | 0302-08200 | SW M8 | 2 | | | |
| 24 | 0311-08160 | PW M8 | 2 | | | |
| 25 | 4633-42140 | HANDLE GRIP, JAPAN/MVH-R60 | 1 | | | FOR JAPAN |
| 25 | 4633-42150 | HANDLE GRIP(EXP) /MVH-R60 | 1 | | | FOR EXPORT |
| 26 | 9540-02620 | OIL HOSE 730L /MVH-R60 | 1 | | | #3 -K1650 |
| 26 | 9540-02240 | OIL HOSE 740L /MVH-R60 | 1 | OX | SX | *5 |
| 26 | 9540-02621 | OIL HOSE 780L /MVH-R60 | 1 | XX | SS!95 | *3 MQ, LH |
| 26 | 9540-02250 | OIL HOSE 790L /MVH-R60 | 1 | OX | | *5 MQ, LH |
| 27 | 9544-04230 | CLAMP SA120-18 | 1 | | | |
| 28 | 0012-20620 | BOLT 6X20 T | 1 | | | |
| 29 | 0203-06050 | NUT M6 | 1 | | | |
| 30 | 0302-06150 | SW M6 | 1 | DC | | #3 -1650 |
| 31 | 0311-06100 | PW M6 | 1 | | | |
| 32 | 4634-55940 | BREATHER CAP /MVH-R60 | 1 | | | |
| 34 | 4634-55960 | THROTTLE NUT /MVH-R60 | 1 | | | |
| 35 | 0015-20510 | SOCKET HEAD BOLT 5X10 T | 1 | | | |
| 36 | 4634-55950 | SPACER, THROTTLE /MVH-R60 | 1 | | | |
| 37 | 3623-41550 | THROTTLE BODY /MT-55 | 1 | | | |
| 38 | 3629-10090 | THROTTLE, GEAR CP, W/BOLT | 1 | | | |
| 39 | 3624-55630 | THROTTLE LEVER /MT-55 | 1 | | | |
| 40 | 3624-55620 | SLIDER /MT-55 | 1 | | | |
| 41 | 0501-00450 | O-RING G-45 | 1 | | | |
| 42 | 0502-00100 | O-RING P-10 | 1 | | | |
| 43 | 0311-10160 | PW M10 | 3 | | | |
| 44 | 0321-10180 | CONICAL SPRING WASHER M10 | 2 | | | |
| 45 | 0962-06006 | SOCKET HEAD SCREW 6X6 | 1 | | | |
| 46 | 0204-10060 | NUT M10, H=6 | 1 | | | |
| 47 | 0221-31008 | CAP NUT M10 | 1 | | | |
| 48 | 0962-08020 | SOCKET HEAD SCREW 8X20 | 1 | | | |
| 49 | 0204-08050 | NUT M8, H=5 | 1 | | | |



• In the case of new model connector use
Please install a new model connector in the
case of the use so that the clamp lower part
and length to the tip of the oil pressure hose
become 350mm like a figure.



MVH-R60/R60A


2010/12/27

CONTROL

** 4LM **

MVH-R60/R60A/R60L
HAND PUMP ASS'Y

4 L R 0





HAND PUMP ASSY

** 4LR **

| REF NO. | PART NO. | PART NAME | Q' TY | MRK | MK2 | REMARKS |
|----------------------------|--|---|-----------------------|-----|----------|--------------|
| A 1 2 3 | 4633-42190 4630-10100 4630-10110 4630-10120 4630-10130 | HAND PUMP AY /MVH-R60 CAM COMP /MVH-R60 PUMP BODY /MVH-R60 COVER (PUMP) / MVH-R60 CYLINDER CP(PUMP)/MVH-R60 | 1 1 1 1 | | | INCL. 10-13 |
| 4 8 9 11 12 | 4630-10140 4630-10150 4630-10160 0420-00695 4630-10180 | PISTON CP (PUMP) /MVH-R60 CONTOROL SHAFT (PUMP) /R60 BUSH BEARING 695ZZ SPACER | 1 1 2 2 2 | SX | | INCL, 30. 31 |
| 13 14 15 16 17 | 4630-10190 4630-10200 4630-10210 4630-10220 4630-10230 | PIN 5X25 PISTON SPRING (PUMP) /R60 ACCUMULATOR CASE(PUMP) R60 SPRING A (PUMP)/MVH-R60 SPRING B (PUMP)/MVH-R60 | 1 1 1 1 1 | | SX SX | |
| 18 19 20 21 22 | 4630-10240 4630-10250 0254-06025 4630-10260 4630-10270 | SPRING WEIGHT (PUMP) /R60 STOP PLUG (PUMP) SPRING PIN 6X25 BREATHER (PUMP) /MVH-R60 STOPPER (PUMP) /MVH-R60 | 1 1 1 1 1 | SX | SX | INCL. 21, 34 |
| 23 24 26 27 28 | 4630-10280 0015-20520 0502-00210 0503-00280 0501-00300 | PLUG(PUMP) SOCKET HEAD BOLT 5X20 T O-RING P-21 O-RING S-28 O-RING G-30 | 1 4 1 1 1 | | | |
| 29 30 31 32 33 | 0503-00560 0502-00150 0502-00200 0503-00080 4634-55940 | O-RING S-56 O-RING P-15 O-RING P-20 O-RING S-8 BREATHER CAP /MVH-R60 | 1 3 2 1 1 | | | |
| 34 | 0502-00140 | O-RING P-14 | 1 | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

MVH-R60A
HOOK & SPRINKLING EQUIPMENT

4 L X




HOOK & SPRINKLING EQUIPMENT

** 4LX **

| REF NO. | PART NO. | PART NAME | Q' TY | MRK | MK2 | REMARKS |
|---------|------------|------------------------------|-------|-------------|-------|---------|
| 2 | 9201-10000 | DECAL, MODEL MVH-R60 | 1 | JPN EXP | SS!92 | |
| 5 | 9201-09990 | DECAL, CAUTION | 1 | | | |
| 5 | 9202-09620 | DECAL, CAUTION/R60 ENGLISH | 1 | | | |
| 12 | 9201-09530 | DECAL, MIKASA (125MM) YELLOW | 1 | | | |
| 13 | 9201-08850 | DECAL, M-MARK Y-40X80 | 1 | | | |
| 23 | 4631-17500 | GUARD FRAME / SPRINKLIG | 1 | SX | SX | |
| 24 | 0012-21230 | BOLT 12X30 T | 4 | | | |
| 25 | 0302-12300 | SW M12 | 4 | | | |
| 35 | 4584-50830 | RUBBER COVER /MVH-120 | 1 | | | |
| 36 | 4584-50810 | PLATE, RUBBER COVER/MVH120 | 1 | | | |
| 37 | 0012-20825 | BOLT 8X25 T | 2 | INCL. 62-65 | | |
| 38 | 0311-08160 | PW M8 | 2 | | | |
| 39 | 0227-10809 | NYLON NUT M8 | 2 | | | |
| 61 | 4639-10010 | WATER TANK W/CAP (BA, R60) | 1 | | | |
| 62 | 9543-00342 | CAP, WATER TANK (NBR) | 1 | | | |
| 63 | 0012-41030 | BOLT 10X30 U | 1 | INCL. 71 | | |
| 64 | 0339-10010 | WASHER 10.5X21X2 SUS | 2 | | | |
| 65 | 0229-10180 | NYLON NUT M10 (SUS) | 1 | | | |
| 66 | 0226-10808 | FLANGE NUT M8 H | 1 | | | |
| 67 | 9544-07090 | COOK / ANGLE TYPE M8 | 1 | | | |
| 67 -1 | 4164-53780 | PACKING 8X19X2T | 1 | AD !9534 | | |
| 67 -1 | 9534-07410 | PACKING, 8X15X2T | 1 | | | |
| 68 | 9544-05680 | CONNECTOR 1/4X10 | 1 | | | |
| 69 | 4634-56580 | WATER HOSE / MVH-R60 | 1 | | | |
| 70 | 4639-10020 | SPRINKLING PIPE A, Y/R60 | 1 | | | |
| 71 | 5159-10050 | CAP AY, W/BOLT, WASHER /MRH | 2 | INCL. 72-73 | | |
| 72 | 0012-20620 | BOLT 6X20 T | 2 | | | |
| 73 | 0311-06100 | PW M6 | 2 | | | |
| 74 | 4634-56570 | L TYPE STAY / MVH-R60 | 2 | | | |
| 75 | 0012-20815 | BOLT 8X15 T | 2 | | | |
| 76 | 0302-08200 | SW M8 | 2 | | | |
| 77 | 9544-04230 | CLAMP SA120-18 | 2 | | | |
| 78 | 0012-20615 | BOLT 6X15 T | 2 | | | |
| 79 | 0311-06100 | PW M6 | 2 | | | |
| 80 | 0203-06050 | NUT M6 | 2 | | | |
| 81 | 0302-06150 | SW M6 | 2 | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

MVH-R60/R60A/R60L
OPTION (TRANSPORT WHEEL)

4ME



MVH-R60/R60A


2010/12/27

OPTION(TRANSPORT WHEEL)

** 4ME **

MVH-R60 / R60A / R60L
NAME PLATES

4LO0



NAME PLATES

** 4LO **

| REF NO. | PART NO. | PART NAME | Q' TY | MRK | MK2 | REMARKS |
|---------|------------|-----------------------------|-------|-----|-----|--------------|
| 1 | 9202-07420 | DECAL, V-BELT RPF-3320 | 1 | DC | | IMER 2002/9- |
| 1 | 9202-07420 | DECAL, V-BELT RPF-3320 | 1 | | | 2002/9- |
| 2 | 9201-10000 | DECAL, MODEL MVH-R60 | 1 | | | |
| 5 | 9201-09990 | DECAL, CAUTION | 1 | | | JAPANESE |
| 5 | 9202-09620 | DECAL, CAUTION/R60 ENGLISH | 1 | | | ENGLISH |
| 5 | 9202-09760 | DECAL, CAUTION/R60 FRENCH | 1 | DC | | FRENCH |
| 5 | 9202-09900 | DECAL, CAUTION(5COUNTRIES) | 1 | | | EXPORT |
| 6 | 9201-08810 | DECAL, OIL(SHEEL TERAS 46 | 1 | | | JAPANESE |
| 6 | 9202-07480 | DECAL, SHELL TELLUS OIL 46 | 1 | DC | | IMER 2002/9- |
| 7 | 9202-01950 | DECAL, OIL SAE 10W-30 | 1 | | | ENGLISH |
| 7 | 9202-08950 | DECAL, OIL SAE 10W-30 | 1 | DC | | FR 2002/9- |
| 8 | 9202-01580 | DECAL, MQ MARK 71X55 | 1 | | | FOR MQ |
| 8 | 9202-07820 | DECAL, IMER | 1 | | | FOR IMER |
| 9 | 9202-09670 | PLATE, SERIAL NO. /MVH-R60 | 1 | | | JPN |
| 9 | 9202-10010 | PLATE, SERIAL NO. / EU | 1 | AD | | EXP 2002/9- |
| 9 | 9202-09690 | DECAL, SERIAL NO./R60 MQ | 1 | | | FOR MQ |
| 9 | 9202-09680 | DECAL, SERIAL NO./R60 FRN | 1 | DC | | IMER 2002/9- |
| 9 | 9202-10000 | PLATE, SERIAL NO. /MVH-R60L | 1 | | | JAPAN/OPTION |
| 9 | 9202-10680 | PLATE, SERIAL NO. /MVH-R60E | 1 | | | EX13/JPN |
| 9 | 9202-11880 | PLATE, SERIAL NO./R60E(5CO | 1 | | | EX13/EXP |
| 11 | 9202-00870 | DECAL, WITHOUT ENGINE OIL | 1 | | | EXPORT |
| 16 | 9201-10080 | DECAL, CAUTION/MVH-R60 | 1 | | | JAPAN/OPTION |
| 16 | 9202-09890 | DECAL, CAUTION(ICON) /R60 | 1 | | | EXPORT |
| 17 | 9201-09981 | DECAL, LEVER OPERATION | 1 | | | JAPAN |
| 21 | 9202-10100 | DECAL, EC NOISE REQ. LWA108 | 1 | DC | | EU -K2100 |
| 21 | 9202-10330 | DECAL, EC NOISE REQ. LWA105 | 1 | AD | | EU K2101- |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



MIKASA SANGYO CO.,LTD.

HEAD OFFICE

NO. 4-3. 1-CHOME, SARUGAKU-CHO, CHIYODA-KU
TOKYO, JAPAN

<http://www.mikasas.com>